

# THERMOSTATS

## Passenger Cars and Light Commercial Vehicles, SUVs



All rights reserved. Our product designs are patented. No part of this catalogue may be produced, copied, distributed or otherwise reproduced in any form by means without the express permission of the copyright holder.


# PASSENGER CARS

## TABLE OF CONTENTS

<u>MAKE</u>	<u>PAGE</u>
AUTOBIANCHI	1
FIAT	2 - 8
LADA	9 - 11
OPEL	12 - 14
SEAT	15

OT-SA REF	OE REF	MAKE
OT-951005	75459580 , 75813190 , 789135	AUTOBIANCHI
OT-951001	4360904 , 4331733 , 4440367	FIAT
OT-951003	7581200 , 7581201 , 7581635	FIAT
OT-951004	46523118 , 7545958 , 7589135 , 7789135	FIAT
OT-951010	0055180041 , 17690MJ00 , 17690-84E50-000	FIAT
OT-951006	2101-1306010 , 21010-1306010 , 21073-1306010	LADA
OT-951007	2108-1306010 , 21080-1306010-50	LADA
OT-951008	21082-1306010 , 21083-1303014-10 , 2109-1306010	LADA
OT-951009	6338022 , 4708757 , 93177343 , 55182499 , 93193581	OPEL
OT-951011	1338003 , 9129907	OPEL
OT-951012	1338073 , 90412901	OPEL
OT-951002	4334988 , FC03222100 , GE03222100	SEAT


## SYMBOLS AND DEFINITIONS

<b>OTSA</b>
OEM

MY
HP
cc

OT-SA REFERANS NUMARASI  
PARÇALARIN OEM NUMARASI (SADECE REFERANS AMAÇLIDIR)  
ARAÇ BİLGİLERİ  
MODEL YILI  
BEYGİR GÜCÜ  
SİLİNDİR HACMİ

TÜRKÇE




<b>OTSA</b>
OEM

MY
HP
cc

OT-SA REFERENCE NUMBER  
PARTS' OE NUMBER ( FOR REFERENCE PURPOSE ONLY)  
VEHICLE INFORMATION  
MODEL YEAR  
HORSE POWER OF ENGINE  
ENGINE CAPACITY

ENGLISH




<b>OTSA</b>
OEM

MY
HP
cc

OT-SA Geschäftsnummer  
OE NUMMERN (NUR ZUM BEZUGSZWECK)  
TRÄGER-INFORMATIONEN  
BAUJAHR  
PFERDESTÄRKEN  
KUBIKKAPAZITÄT

DEUTSCH




<b>OTSA</b>
OEM

MY
HP
cc

NUMÉRO DE RÉFÉRENCE D'OT-SA  
NOMBRE DE PARTS'OE (POUR LE BUT DE RÉFÉRENCE SEULEMENT)  
L'INFORMATION DE VÉHICULE  
ANNÉE MODÈLE  
PUISSANCE CV DIN  
CYLINDREE

FRANÇAIS




<b>OTSA</b>
OEM

MY
HP
cc

NUMERO DI RIFERIMENTO DI OT-SA  
NUMERO ORIGINALE ( PER SCOPO DI RIFERIMENTO SOLTANTO)  
LE INFORMAZIONI DEL VEICOLO  
ANNO DEL MODELLO  
CAVALLO -VAPORE (unità di misura)  
CILINDRATA

ITALIANO



<b>OTSA</b>
OEM

MY
HP
cc

NÚMERO DE REFERENCIA DE OT-SA  
NÚMERO DE OE DE LAS PARTES (PROPÓSITO DE LA REFERENCIA SOLAMENTE)  
VEHÍCULO Y MOTOR  
AÑO MODELO  
CABALLO DE FUERZA  
CILINDRADA

ESPAÑOL






**OPENING TEMPERATURE :**  
**85 °C**

<b>OTSA</b>	<b>OEM</b>		<b>MY</b>	<b>HP</b>	<b>cc</b>
<b>OT-951005</b>	75459580	AUTOBIANCHI - Y10 - 1.0	03.85-	45	999
	75813190	AUTOBIANCHI - Y10 - 1.0 4WD	12.86-	50	999
	789135	AUTOBIANCHI - Y10 - 1.0 CAT	10.87-	45	999
		AUTOBIANCHI - Y10 - 1.1	06.89-	57	1108
		AUTOBIANCHI - Y10 - 1.1 4WD	06.89-	57	1108
		AUTOBIANCHI - Y10 - 1.1 i.e. CAT	09.90-	57	1108




OPENING TEMPERATURE :  
**79 °C**

OTSA	OEM		MY	HP	cc
<b>OT-951001</b>	4360904	ARGENTA (132A) - 1600 i.e	04.81-12.85	90	1585
	4331733	ARGENTA (132A) - 1600	04.81-12.85	98	1585
	4440367	ARGENTA (132A) - 2000	06.78-12.85	113	1995
		ARGENTA (132A) - 2000 i.e.	06.81-07.86	122	1995
		ARGENTA (132A) - 2000 Volumex	06.84-07.85	135	1995
		RITMO I (138A) - 90 i.e. 1.6	09.85-12.87	90	1595
		RITMO I (138A) - 105 Sport	05.81-12.82	105	1585
		RITMO I (138A) - 125 TC Abarth 2.0	11.81-09.82	125	1995
		RITMO II (138A) - 90 1.6 i.e.	12.85-12.87	90	1585
		RITMO II (138A) - 100 1.6	01.83-12.87	100	1585
		RITMO II (138A) - 105 1.6	01.83-12.87	105	1585
		RITMO II (138A) - 125 TC Abarth 2.0	12.82-12.87	125	1995
		RITMO II (138A) - 130 TC Abarth	04.83-12.87	130	1995
		125 - 1.6 (TA)	07.67-03.74	90	1608
		131 - 1.4 Mirafiori	11.80-01.84	70	1367
		131 - 1.4 Super Mirafiori	04.81-12.83	75	1367
		131 - 1.6	11.76-12.84	85	1585
		131 - 1.6 Super	03.78-01.84	97	1585
		131 - 2.0 Super	01.81-12.84	113	1995
		131 - 2.0 Racing	06.78-12.81	115	1995
		131 Familiare/Panorama - 1.4 Mirafiori	11.81-01.84	70	1367
		131 Familiare/Panorama - 1.6	11.80-04.85	85	1585
		131 Familiare/Panorama - 2.0 Super	01.81-12.84	113	1995
		132 - 1.6	04.72-01.76	98	1592
		132 - 1.7 Special (A1)	04.72-01.74	105	1756
		132 - 1.7 GLS (A1)	04.74-12.75	107	1756
		132 - 1.7 GLS (A1)	11.75-01.77	112	1756
		132P - 1.6	01.74-09.78	98	1592
		132P - 1.8	07.75-09.78	107	1756



OPENING TEMPERATURE :

79 °C

OTSA	OEM		MY	HP	cc
<b>OT-951001</b>	4360904	LANCIA - BETA (828_B_) - 1300 (828CB3)	04.76-07.82	83	1297
	4331733	LANCIA - BETA (828_B_) - 1600 (828CB0, 828AB0)	08.73-07.82	101	1585
	4440367	LANCIA - BETA (828_B_) - 2000 (828CB1)	07.78-07.82	115	1995
		LANCIA - BETA (828_B_) - 2000 (828CB1)	04.76-07.78	120	1995
		LANCIA - BETA Coupe (828BC) - 1300 (828BC3)	12.81-12.84	84	1367
		LANCIA - BETA Coupe (828BC) - 1600 (828BC0)	04.76-12.84	101	1585
		LANCIA - BETA Coupe (828BC) - 2000	01.81-12.84	116	1991
		LANCIA - BETA Coupe (828BC) - 2000 VX	07.83-12.84	135	1991
		LANCIA - BETA Coupe (828BC) - 2000	04.76-12.84	120	1995
		LANCIA - BETA H.P.E. (828BF) - 1600 (828BF0)	08.80-09.84	101	1585
		LANCIA - BETA H.P.E. (828BF) - 2000	04.79-09.84	116	1995
		LANCIA - BETA H.P.E. (828BF) - 2000	05.76-05.78	120	1995
		LANCIA - BETA H.P.E. (828BF) - 2000 i.e.	05.81-09.84	122	1995
		LANCIA - BETA H.P.E. (828BF) - 2000 Volumex	07.83-09.84	135	1995
		LANCIA - BETA MONTE CARLO (137AS, 137BS) - 2.0	09.75-05.81	120	1995
		LANCIA - BETA Spider (828BS) - 1600 (828BS0)	05.76-08.82	100	1585
		LANCIA - BETA Spider (828BS) - 2000 (828BS1)	04.79-10.86	116	1995
		LANCIA - BETA Spider (828BS) - 2000 (828BS1)	05.76-11.79	120	1995
		LANCIA - DELTA I (831AB0) - 1.6 GT	11.82-04.86	105	1585
		LANCIA - PRISMA (831AB0) - 1.6	08.86-02.92	99	1585
		LANCIA - PRISMA (831AB0) - 1.6	01.83-04.86	105	1585
		LANCIA - TREVI (828DB) - 1600 (828DB03)	05.80-01.87	100	1585
		LANCIA - TREVI (828DB) - 2000 i.e.	05.80-01.87	122	1995
		LANCIA - TREVI (828DB) - 2000 Volumex (828DB17)	08.83-05.85	135	1995



**OPENING TEMPERATURE :**
**87 °C**

OTSA	OEM		MY	HP	cc
<b>OT-951003</b>	7581200	TEMPRA (159) - 1.4 i.e. (159.AC, 159.AX)	03.92-08.96	69	1372
	7581201	TEMPRA (159) - 1.4 i.e. (159.AC)	03.91-08.96	78	1372
	7581635	TEMPRA (159) - 1.6	04.90-06.93	69	1581
		TEMPRA (159) - 1.6 i.e. (159.AS, 159.AT)	06.92-08.96	75	1581
	TEMPRA (159) - 1.6 i.e. (159.AE)	06.90-07.92	78	1581	
	TEMPRA (159) - 1.6	03.90-04.93	86	1581	
	TEMPRA (159) - 1.6 i.e. (159.AJ)	06.94-08.96	87	1581	
	TEMPRA S.W. (159) - 1.4 i.e. (159.AC, 159.AX)	10.92-08.96	69	1372	
	TEMPRA S.W. (159) - 1.4 i.e. (159.AC)	03.91-08.96	78	1372	
	TEMPRA S.W. (159) - 1.6	07.93-07.96	69	1581	
	TEMPRA S.W. (159) - 1.6 i.e. (159.AS, 159.AT)	10.92-08.96	75	1581	
	TEMPRA S.W. (159) - 1.6 i.e. (159.AE)	10.90-08.96	78	1581	
	TEMPRA S.W. (159) - 1.6	12.90-04.93	86	1581	
	TIPO (160) - 1.6 SX DGT	05.89-10.92	90	1581	
	UNO (146A/E) - 70 i.e.	09.89-12.93	70	1372	
	UNO (146A/E) - 70 S 1.4	09.89-10.92	71	1372	
	UNO (146A/E) - 70 i.e. 1.4	09.89-12.93	72	1372	
	UNO (146A/E) - 1.4	01.89-12.91	101	1372	
	ZASTA - YUGO FLORIDA - 1.4	10.88-06.95	71	1372	
	ZASTA - YUGO FLORIDA - 1.4 CAT	10.88-	71	1372	
ZASTA - YUGO FLORIDA - 1.6	08.89-06.95	84	1585		



OPENING TEMPERATURE :


85 °C

OTSA	OEM		MY	HP	cc
<b>OT-951004</b>	46523118	ALBEA (178_) - 1.2	09.01-	60	1242
	7545958	ALBEA (178_) - 1.2	09.98-	73	1242
	7589135	BRAVA (182) - 1.2 16V 80	10.00-10.01	80	1242
	7789135	BRAVA (182) - 1.2 16V 80	12.98-10.00	82	1242
		BRAVO - 1.4	04.07-	90	1368
		BRAVO (182) - 1.2 16V 80	10.00-10.01	80	1242
		BRAVO (182) - 1.2 16V 80	12.98-10.00	82	1242
		CINQUECENTO (170) - 1.1 Sporting (170AH)	10.94-01.98	54	1108
		DOBLO (119) - 1.2 (223AXA1A)	03.01-	65	1242
		DOBLO Cargo (223) - 1.2 (223XA1A)	03.01-	65	1242
		FIORINO Box (146 Uno) - 1.0 iE	11.92-04.96	45	999
		IDEA - 1.2 16V	01.04-	80	1242
		IDEA - 1.4 16V	01.04-	95	1368
		MAREA (185) - 1.2 16V	10.98-	82	1242
		MAREA Weekend (185) - 1.2 16V	10.98-	82	1242
		PALIO (178BX) - 1.1	07.97-10.03	54	1108
		PALIO (178BX) - 1.2	07.97-08.02	60	1242
		PALIO (178BX) - 1.2	09.01-	80	1242
		PALIO (178BX) - 1.2	07.97-08.02	60	1242
		PALIO (178BX) - 1.2	06.99-10.00	68	1242
		PALIO (178BX) - 1.2	06.98-	73	1242
		PALIO Weekend (178DX) - 1.2	09.01-	80	1242
		PALIO Weekend (178DX) - 1.2 (178DX.G1A)	04.96-02.01	73	1242
		PALIO Weekend (178DX) - 1.2 (178DYA1A)	02.01-	60	1242
		PANDA (141A_) - 1000	01.86-04.92	44	999
		PANDA (141A_) - 1000	01.85-12.92	50	999
		PANDA (141A_) - 1000	01.86-12.92	50	999
		PANDA (141A_) - 1000 4x4	01.86-07.89	44	999
		PANDA (141A_) - 1000 4x4	05.86-12.94	45	999
		PANDA (141A_) - 1000 i.e. CAT	10.87-08.98	45	999
		PANDA (141A_) - 1100	05.91-12.99	50	1108
		PANDA (141A_) - 1100	02.95-09.03	54	1108
		PANDA (141A_) - 1100 4x4	02.95-07.04	54	1108
		PANDA (141A_) - 1100 Trekking 4x4	10.91-07.04	50	1108
		PANDA (141A_) - 750 (141AA)	01.86-01.95	34	770
		PANDA (141A_) - 750 (141AI)	01.86-01.95	34	770
		PANDA (141A_) - 750 (141AM) CAT	01.95-12.97	34	770
		PANDA (169) - 1.1	09.03-	54	1108
		PANDA (169) - 1.2	09.03-	60	1242
		PANDA (169) - 1.2 4x4	10.04-	60	1242
		PANDA Van (141_) - 1000	01.86-02.92	44	999
		PANDA Van (141_) - 1000 i.e	08.92-02.04	45	999
	PANDA Van (141_) - 750	01.86-07.92	34	764	



OPENING TEMPERATURE :

85 °C


OTSA	OEM		MY	HP	cc
<b>OT-951004</b>	46523118	PUNTO (176) - 1.4 GT Turbo	01.94-09.96	133	1372
	7545958	PUNTO (176) - 55 1.1	09.93-09.99	54	1108
	7589135	PUNTO (176) - 60 1.2	01.94-09.99	58	1242
	7789135	PUNTO (176) - 60 1.2	03.94-09.99	60	1242
		PUNTO (176) - 75 1.2	10.93-09.99	73	1242
		PUNTO (176) - 85 16V 1.2	04.97-09.99	86	1242
		PUNTO (176) - 90 1.6	01.94-04.97	88	1581
		PUNTO (188) - 1.2 Natural Power	09.03-	60	1242
		PUNTO (188) - 1.4	09.03-	95	1368
		PUNTO (188) - 1.2 60 (188.030, .050, .130, .150, .230, .250)	09.99-	80	1242
		PUNTO (188) - 1.2 60 (188.030, .050, .130, .150, .230, .250)	09.99-	60	1242
		PUNTO Convertible (176C) - 60 1.2	04.94-06.00	58	1242
		PUNTO Convertible (176C) - 60 1.2	05.95-06.00	60	1242
		PUNTO Convertible (176C) - 85 16V 1.2	04.97-06.00	86	1242
		PUNTO Convertible (176C) - 90 1.6	04.94-04.97	88	1581
		PUNTO Van (176L) - 1.1	04.96-02.00	54	1108
		PUNTO Van (188AX) - 1.2 60	02.00-	60	1242
		SEICENTO (187) - 1.1 (187AXB, 187AXB1A)	01.98-	54	1108
		SEICENTO Van (187) - 1.1 (187CXB/C)	01.98-	54	1108
		STILO (192) - 1.2 16V (192_XA1B)	02.02-	80	1242
		STILO (192) - 1.4 16V	03.05-	90	1368
		STILO (192) - 1.4 16V	01.04-	95	1368
		STILO Multi Wagon (192) - 1.4 16V	03.05-	90	1368
		STILO Multi Wagon (192) - 1.4 16V	01.04-	95	1368
		STRADA (178E) - 1.2	04.03-	60	1242
		STRADA (178E) - 1.2	06.99-	73	1242
		TIPO (160) - 1.1 (160.AA)	01.88-10.91	56	1108
		UNO (146A/E) - 1.0	11.94-08.00	48	994
		UNO (146A/E) - 1.0 iE	05.98-08.00	46	999
		UNO (146A/E) - 45 (146A.ED)	06.86-12.93	50	999
		UNO (146A/E) - 45 1.0 (146A.ED)	06.86-12.93	44	999
		UNO (146A/E) - 45 i.e. 1.0	04.84-10.95	45	999
		UNO (146A/E) - 50 1.1	01.90-12.93	50	1108
		UNO (146A/E) - 50 1.1	01.86-12.89	50	1116
		UNO (146A/E) - 50 i.e. 1.1	06.92-12.93	49	1116
		UNO (146A/E) - 60 1.1	04.89-12.92	57	1108
		UNO (146A/E) - 60 1.1 (146A.EG)	05.85-08.89	58	1116





OPENING TEMPERATURE :

85 °C

OTSA	OEM		MY	HP	cc
<b>OT-951004</b>	46523118	LANCIA - MUSA - 1.4	10.04-	95	1368
	7545958	LANCIA - Y (840A) - 1.1 (840AE)	11.95-09.03	54	1108
	7589135	LANCIA - Y (840A) - 1.2 (840AA, 840AF1A)	03.96-09.03	60	1242
	7789135	LANCIA - Y (840A) - 1.2 16V (840AD)	04.97-09.03	86	1242
		LANCIA - Y (840A) - 1.2 16V (840AG1A)	10.00-09.03	80	1242
		LANCIA - Y10 (156) - 1.0 Fire	03.85-02.90	50	999
		LANCIA - Y10 (156) - 1.0 Fire (156AA)	03.85-06.89	45	999
		LANCIA - Y10 (156) - 1.0 Fire (156AE) CAT	10.87-02.92	45	999
		LANCIA - Y10 (156) - 1.0 Fire (156B, 156AD)	06.85-06.91	44	999
		LANCIA - Y10 (156) - 1.0 Fire 4WD	12.86-02.89	44	999
		LANCIA - Y10 (156) - 1.0 Fire 4WD	12.87-02.90	50	999
		LANCIA - Y10 (156) - 1.0 Fire 4WD (156AE)	12.87-02.92	45	999
		LANCIA - Y10 (156) - 1.1 Avenue (156AG)	01.95-12.95	54	1108
		LANCIA - Y10 (156) - 1.1 Avenue 4WD (156AG)	01.95-12.95	54	1108
		LANCIA - Y10 (156) - 1.1 i.e (156AC)	08.89-06.92	57	1108
		LANCIA - Y10 (156) - 1.1 i.e 4WD (156AC)	08.89-06.92	57	1108
		LANCIA - Y10 (156) - 1.1 i.e. Fire (156AG)	07.89-09.95	50	1108
		LANCIA - Y10 (156) - 1.1 i.e. Fire 4WD (156AG)	09.92-12.95	50	1108
		LANCIA - EPSILON - 1.2	10.03-	80	1242
		LANCIA - EPSILON - 1.2	10.03-	60	1242
		LANCIA - EPSILON - 1.4 16V	10.03-	95	1368






OPENING TEMPERATURE :  
**86 °C**

OTSA	OEM		MY	HP	cc
<b>OT-951010</b>	0055180041	DOBLO Cargo (223) - 1.3 JTD 16V	05.04-	70	1248
	17690MJ00	IDEA - 1.3 JTD	01.04-	70	1248
	17690-84E50-000	PALIO (178BX) - 1.3 JTD Multijet	06.03-	69	1248
		PANDA (169) - 1.3 D Multijet	09.03-	70	1248
		PANDA (169) - 1.3 D Multijet 4x4	10.04-	70	1248
		PUNTO (188) - 1.3 JTD 16V	06.03-	70	1248
		500 - 1.3 D Multijet	10.07-	75	1248
		LANCIA - MUSA - 1.3 D Multijet	10.04-	70	1248
		LANCIA - EPSILON - 1.3 JTD	10.03-	70	1248
		SUZUKI - IGNIS II - 1.3 DDiS	09.03-	70	1248
		SUZUKI - WAGON R+ (MM) - 1.3 DDiS	09.03-	70	1248








**OPENING TEMPERATURE :**
**80 °C**

OTSA	OEM		MY	HP	cc	
<b>OT-951006</b>	2101-1306010	111 - 1.5 16V	10.00-	91	1499	
	2101-1306010-01	111 - 1.5 16V	01.95-	95	1499	
	2101-1306010-02	112 - 1.5 16V	10.00-	91	1499	
	21010-1306010	112 - 1.5 16V	01.95-	95	1499	
	21073-1306010	1200-1500 Estate - 1200 (VAZ, WAS2102)		09.73-08.84	60	1198
		1200-1500 Estate - 1300 (VAZ-21021)		01.81-12.82	67	1294
		1200-1500 Estate - 1500 (VAZ2102)		09.73-06.85	73	1452
		1200-1600 - 1200 L/S (VAZ, WAS2101)		01.70-06.86	60	1198
		1200-1600 - 1300 (VAZ2101)		05.78-01.87	65	1285
		1200-1600 - 1300 (WAS21011)		08.74-08.84	69	1294
		1200-1600 - 1500 N/S (VAZ2103)		11.75-10.86	75	1452
		1200-1600 - 1500 (WAS2103, WAS2106)		09.72-08.84	75	1458
		1200-1600 - 1600 N/L (VAZ2103)		03.79-10.86	78	1570
		1200-1600 - 1600 (WAS2106)		09.72-08.84	79	1570
		NIVA (2121) - 1700 i		06.96-	80	1690
		NIVA (2121) - 1700 i 4x4		10.00-	82	1690
		NOVA (2105, 2108, 2109) 1200 Junior/L (VAZ, WAS2105)		09.81-	60	1198
		NOVA (2105, 2108, 2109) 1300 Spezial/L (VAZ, WAS2105)		05.81-	65	1294
		NOVA (2105, 2108, 2109) - 1500 S (WAS21093)		06.89-	71	1499
		NOVA (2105, 2108, 2109) 1500 Special (VAZ2105, WAS21053)		03.85-	75	1452
		NOVA (2105, 2108, 2109) - 1600 (WAS21074)		01.88-	76	1570
		NOVA (2105, 2108, 2109) 1700 i Classic (VAZ2107)		06.96-	84	1690
		NOVA Estate (2104) - 1300		09.85-12.90	65	1294
		NOVA Estate (2104) - 1500		08.94-	67	1451
		NOVA Estate (2104) - 1500		09.85-02.93	75	1458
		NOVA Estate (2104) - 1700		08.94-	84	1690
		TOSCANA - 1500 (VAZ2107)		09.83-02.93	75	1458




**OPENING TEMPERATURE :**
**87 °C**

OTSA	OEM	  	MY	HP	cc
<b>OT-951007</b>	2108-1306010	SAMARA (2108, 2109) - 1100	02.88-12.94	53	1100
	2108-1306010-10	SAMARA (2108, 2109) - 1100	02.96-	58	1099
	2108-1306010-11	SAMARA (2108, 2109) - 1300	09.91-	61	1288
	2108-1306010-12	SAMARA (2108, 2109) - 1300	01.88-	63	1288
	2108-1306010-50	SAMARA (2108, 2109) - 1300	01.86-12.94	65	1288
	21080-1306010-50	SAMARA (2108, 2109) - 1300	02.96-	68	1288
		SAMARA (2108, 2109) - 1500	09.91-	68	1500
		SAMARA (2108, 2109) - 1500	02.95-	71	1499
		SAMARA (2108, 2109) - 1500	01.88-	72	1499
		SAMARA FORMA (21099) - 1100	07.91-	53	1100
		SAMARA FORMA (21099) - 1300	07.91-	61	1288
		SAMARA FORMA (21099) - 1300	05.90-	63	1288
		SAMARA FORMA (21099) - 1300	05.89-07.97	65	1288
		SAMARA FORMA (21099) - 1300	02.96-	68	1288
		SAMARA FORMA (21099) - 1500	07.91-	68	1500
		SAMARA FORMA (21099) - 1500	11.94-	71	1499
		SAMARA FORMA (21099) - 1500	09.91-	72	1500
		TOSCANA - 1300 (VAZ2107)	12.85-	65	1294




OPENING TEMPERATURE :  
85 °C

OTSA	OEM		MY	HP	cc
<b>OT-951008</b>	21082-1306010	110 - 1.5	01.95-	73	1499
	21083-1303014-10	110 - 1.5	10.00-	76	1499
	2109-1306010	110 - 1.5	01.95-	78	1499
		110 - 1.5 16V	10.00-	91	1499
		111 - 1.5	10.00-	76	1499
		111 - 1.5	01.96-	78	1499
		111 - 1.5 16V	10.00-	91	1499
		111 - 1.5 16V	01.95-	95	1499
		112 - 1.5	01.95-	78	1499
		SAMARA (2108, 2109) - 1500	02.95-	71	1499


**OPENING TEMPERATURE :**
**86 °C**

OTSA	OEM		MY	HP	cc
<b>OT-951009</b>	6338022	AGILA (H00) - 1.3 CDTI	08.03-	70	1248
	4708757	AGILA - 1.3 CDTI	09.07-	75	1248
	93177343	COMBO Tour - 1.3 CDTI 16V	10.04-	69	1248
	55182499	COMBO Tour - 1.3 CDTI 16V	10.05-	75	1248
	93193581	COMBO Box Body / Estate - 1.3 CDTI 16V	08.05-	69	1248
		COMBO Box Body / Estate - 1.3 CDTI 16V	10.05-	75	1248
		CORSA C (F08, F68) - 1.3 CDTI	06.03-	70	1248
		CORSA C Box (F08, W5L) - 1.3 CDTI 16V	08.05-	69	1248
		MERIVA - 1.3 CDTI	04.05-	69	1248
		MERIVA - 1.3 CDTI	09.03-	75	1248
		TIGRA TwinTop - 1.3 CDTI	06.04-	69	1248
		VAUXHALL - COMBO - 1.3 CDTI 16V	10.05-	75	1248
		VAUXHALL- CORSA Mk II - 1.3 CDTI 16V	04.04-	70	1248
		VAUXHALL- CORSAVAN MK II - 1.3 CDTI 16V	04.04-	70	1248
		VAUXHALL - MERIVA - 1.3 CDTI	09.03-	75	1248
		VAUXHALL- TIGRA TwinTop - 1.3 CDTI	06.04-	69	1248



**OPENING TEMPERATURE :**
**90 °C**

OTSA	OEM		MY	HP	cc
<b>OT-951011</b>	1338003	ASTRA G Hatchback (F48_, F08_) - 1.4	09.03-01.05	90	1364
	9129907	ASTRA G Hatchback (F48_, F08_) - 1.4 16V	02.98-01.05	90	1389
		ASTRA G Hatchback (F48_, F08_) - 1.6	12.02-01.05	103	1598
		ASTRA G Saloon (F69_) - 1.4	09.03-01.05	90	1364
		ASTRA G Saloon (F69_) - 1.4 16V	09.98-01.05	90	1389
		ASTRA G Estate (F35_) - 1.4	09.03-07.04	90	1364
		ASTRA G Estate (F35_) - 1.4 16V	06.98-07.04	90	1389
		ASTRA G Estate (F35_) - 1.6 CNG	03.03-07.04	97	1598
		ASTRA G Estate (F35_) - 1.6 16V	02.98-07.04	101	1598
		ASTRA G Coupe (F07_) - 1.6 16V	03.00-05.05	103	1598
		ASTRA G Coupe (F07_) - 2.2 DTI	09.02-05.05	125	2172
		ASTRA G Convertible - 1.6 16V	03.01-10.05	101	1598
		COMBO Tour - 1.4	10.04-	90	1364
		COMBO Tour - 1.6 16V	06.06-	94	1598
		COMBO Box Body / Estate - 1.4 16V	08.05-	90	1364
		CORSA C (F08, F68) - 1.4 Twinport	06.03-	90	1364
		CORSA C (F08, F68) - 1.4	09.00-	90	1389
		MERIVA - 1.6 16V	05.03-	100	1598
		VECTRA B Hatchback (38_) - 1.6 i 16V	10.95-07.02	101	1598
		VECTRA B (36_) - 1.6 i 16V	10.95-04.02	100	1598
		VECTRA B Estate (31_) - 1.6 i 16V	11.96-07.02	100	1598
		VECTRA C GTS - 1.6	08.05-	100	1598
		VECTRA C - 1.6 16V	06.04-	100	1598
		VECTRA C Estate - 1.6 16V	06.04-	100	1598
		VECTRA C Estate - 1.6	01.06-	105	1598
		ZAFIRA (F75_) - 1.6	09.02-06.05	95	1598
		ZAFIRA (F75_) - 1.6 CNG	09.01-06.05	97	1598
		ZAFIRA (F75_) - 1.6 16V	04.99-06.05	101	1598
		ZAFIRA - 1.6	01.06-	94	1598
		VAUXHALL - ASTRA Mk IV Hatchback - 1.6 Dualfuel	09.02-	85	1598
		VAUXHALL - ASTRA Mk IV Hatchback - 1.6 16V	02.98-	101	1598
		VAUXHALL - ASTRA Mk IV - 1.6 Dualfuel	09.02-	85	1598
		VAUXHALL - ASTRA Mk IV - 1.6 16V	09.98-	101	1598
		VAUXHALL - ASTRA Mk IV Estate - 1.6 Dualfuel	09.02-	85	1598
		VAUXHALL - CORSA Mk II - 1.4 16V	09.00-	90	1389
		VAUXHALL - MERIVA - 1.6 i 16V	05.03-	100	1598
		VAUXHALL - VECTRA Mk II GTS - 1.6 16V	06.04-	100	1598
		VAUXHALL - VECTRA Mk II - 1.6 16V	06.04-	100	1598
		VAUXHALL - VECTRA Mk II Estate - 1.6 16V	06.04-	100	1598
		VAUXHALL - ZAFIRA - 1.6 16V	04.99-	101	1598



OPENING TEMPERATURE :

90 °C

OTSA	OEM		MY	HP	cc
<b>OT-951012</b>	1338073	ASTRA F Hatchback (53_, 54_, 58_, 59_) 1.4 i 16V	01.96-01.98	90	1389
	90412901	ASTRA F Hatchback (53_, 54_, 58_, 59_) 1.6 i 16V	08.94-01.98	100	1598
		ASTRA F (56_, 57_) - 1.4 i 16V	02.96-09.98	90	1389
		ASTRA F (56_, 57_) - 1.6 i 16V	08.94-09.98	100	1598
		ASTRA F Estate (51_, 52_) - 1.4 i 16V	02.96-01.98	90	1389
		ASTRA F Estate (51_, 52_) - 1.6 i 16V	08.94-01.98	100	1598
		ASTRA F Convertible (53_B) - 1.4 i 16V	01.96-03.01	90	1389
		ASTRA F Convertible (53_B) - 1.6 i	03.93-08.96	71	1598
		ASTRA F CLASSIC Hatchback - 1.6 i 16V	01.98-08.02	101	1598
		ASTRA F CLASSIC Saloon - 1.6 i 16V	01.98-08.02	101	1598
		ASTRA F CLASSIC Estate - 1.6 i 16V	01.98-01.05	101	1598
		COMBO (71_) - 1.4 16V	08.99-10.01	90	1389
		CORSA B (73_, 78_, 79_) - 1.4 i 16V	09.94-09.00	90	1389
		CORSA B (73_, 78_, 79_) - 1.6 i 16V	08.97-09.00	100	1598
		CORSA B (73_, 78_, 79_) - 1.6 i 16V	09.94-09.00	106	1598
		CORSA B (73_, 78_, 79_) - 1.6 GSI 16V	03.93-09.00	109	1598
		TIGRA (95_) - 1.4 16V	08.97-12.00	86	1389
		TIGRA (95_) - 1.4 16V	07.94-12.00	90	1389
		TIGRA (95_) - 1.6 16V	08.97-08.98	100	1598
		TIGRA (95_) - 1.6 16V	07.94-08.98	106	1598
		VECTRA B Hatchback (38_) - 1.6 i 16V	10.95-07.02	101	1598
		VECTRA B (36_) - 1.6 GL	09.95-08.96	82	1598
		VECTRA B (36_) - 1.6 i 16V	10.95-04.02	100	1598
		VECTRA B Estate (31_) - 1.6 i 16V	11.96-07.02	100	1598
		VAUXHALL - ASTRA Mk III Hatchback - 1.4 i 16V	02.96-02.98	90	1389
		VAUXHALL - ASTRA Mk III Hatchback - 1.6 i 16V	01.94-02.98	101	1598
		VAUXHALL - ASTRA Mk III - 1.4 i 16V	02.96-09.98	90	1389
		VAUXHALL - ASTRA Mk III - 1.6 i 16V	08.94-09.98	100	1598
		VAUXHALL - ASTRA Mk III Estate - 1.4 i 16V	02.96-01.98	90	1389
		VAUXHALL - ASTRA Mk III Estate - 1.6 i 16V	01.94-02.98	100	1598
		VAUXHALL - ASTRA Mk III Convertible - 1.4 i 16V	01.96-03.01	90	1389
		VAUXHALL - ASTRA Mk IV Hatchback - 1.6 16V	02.98-	101	1598
		VAUXHALL - ASTRA Mk IV - 1.6 16V	09.98-	101	1598
		VAUXHALL - CORSA Convertible - 1.4 i 16V	01.98-	90	1389
		VAUXHALL - TIGRA - 1.4 16V	07.94-	90	1389
		VAUXHALL - TIGRA - 1.6 16V	07.94-	106	1598
		VAUXHALL - VECTRA Hatchback - 1.6 i 16V	10.95-	101	1598
		VAUXHALL - VECTRA - 1.6 i 16V	10.95-	100	1598
		VAUXHALL - VECTRA Estate - 1.6 i 16V	11.96-	100	1598



OPENING TEMPERATURE :  
**79 °C**

OTSA	OEM		MY	HP	cc
<b>OT-951002</b>	4334988	RONDA (022A) - 1.6	08.83-09.85	92	1592
	FC03222100	131 - 2.0	06.78-12.85	116	1994
	GE03222100				